

Rubner Türen GmbH
Handwerkerzone 10, I-39030 Kiens (BZ)
Tel. +39 0474 563 222
tueren@rubner.com – www.rubner.com/tueren

Rubner Türen SRL
Zona Artigianale 10, I-39030 Chienes (BZ)
Tel. +39 0474 563 222
tueren@rubner.com – www.rubner.com/tueren

RUBNER
türen

Technical documentation for the packaging of doors and components in accordance with Regulation (EU) 2025/40

1. Producer

Name: Rubner Türen GmbH - Srl
Address: Handwerkerzone 10 - Zona Artigianale
Location: I-39030 Kiens - Chienes
VAT number: IT00209460211
Controlling Organisation: -

Südtiroler Volksbank / Banca Popolare dell'Alto Adige, SWIFT/BIC-Code BPAAIT2B003, IBAN IT38 E058 5658 3000 0357 0004 652
Südtiroler Sparkasse AG / Cassa di Risparmio di Bolzano SpA, SWIFT/BIC-Code CRBZIT2B054, IBAN IT52 C060 4558 3000 0000 0858 600

MwSt.-Nr./Part.IVA IT 00209460211 - Handelsreg./Reg. delle imprese BZ 00209460211 - GK / Cap. sociale € 1.000.000,00 voll eingez. / int. vers.

Einpersonengesellschaft - unterliegt der Leitung und Koordinierung der Rubner Holding AG
Società con socio unico - soggetta ad attività di direzione e coord. di Rubner Holding SpA

2. Packaging master data

Unique identifier for the packaging	PPWR_RT_1
Packaging category	Transport packaging
Photograph/technical drawing	Type 1: OSB board with small components 
	Type 2: Cardboard, adhesive tape, foam board, wood, small metal parts 
	Type 3: Film 

Südtiroler Volksbank / Banca Popolare dell'Alto Adige, SWIFT/BIC-Code BPAAIT2B003, IBAN IT38 E058 5658 3000 0357 0004 652
 Südtiroler Sparkasse AG / Cassa di Risparmio di Bolzano SpA, SWIFT/BIC-Code CRBZIT2B054, IBAN IT52 C060 4558 3000 0000 0858 600

MwSt.-Nr./Part.IVA IT 00209460211 - Handelsreg./Reg. delle imprese BZ 00209460211 - GK / Cap. sociale € 1.000.000,00 voll einz. / int. vers.

Einpersonengesellschaft - unterliegt der Leitung und Koordinierung der Rubner Holding AG
 Società con socio unico - soggetta ad attività di direzione e coord. di Rubner Holding SpA

Type 4: Wood, cardboard, film, adhesive tape, small metal parts, dividers, bubble wrap, edge protectors



Fucntional description

Wraparound film packaging (optional), base sheets and load-bearing trays (optional), strapping (optional) for securing the load during transport, interleaving material (optional), fasteners (optional), cardboard (optional), card protection (optional)

3. Composition of the packaging

Packaging components

Component	Material	Function	Weight/Dimensions [g/m; g/m ² ; g/m ³ , mm]
Load-bearing supports, timber shims	Wood	Transport securing	430 kg/m ³
Labels	Paper/plastic	Product labelling	110x25mm 104x74mm
Interlayer material	Protective film, PE bubble wrap	Product protection	
Protective film	Plastic	Protection against dirt and weathering	0,917 g/m ³
Interlayer material	Cardboard, plastic	Product protection	-
Interlayer material	Cardboard with and without coating/film	Product protection	2380x1300x3mm
Adhesive tape	Plastic	Positioning	0,3-1,4 mm
Strapping	Plastic	Positioning	Various dimensions, 6mx50mm, 8mx50mm, 6mx25mm with a clamp lock or ratchet
Edge protection	Plastic and cardboard	Product protection	28-32 kg/m ³
Stretch film	Plastic	Transport security and product protection	0,917g/m ³
Protective cardboard box	Cardboard	Transport security and product protection	2380x1300x3mm 40x40x2250mm
Interlayer material	Styrofoam	Product protection	50x100x4cm
Load carrier	OSB	Transport security and product protection	>550 kg/m ³

Packaging format

The packaging quantities are based on the actual product specifications and dimensions.

4. Demonstration of compliance with the PPWR criteria Articles 5 to 12

The standards EN 13427 (General requirements for packaging), EN 13428 (Packaging minimisation), EN 13429 (Reusability) and EN 13430 (Material recyclability) were used to assess the packaging's compliance.

Article 5(4): Limit values for heavy metals

This packaging and its components fully comply with the material requirements set out in Article 5 of Regulation (EU) 2025/40. This is substantiated by evidence and declarations from the suppliers: the sum of the concentration levels of lead, cadmium, mercury and hexavalent chromium does not at any time exceed the statutory limit of 100 mg/kg in the packaging or its components.

Article 5(5): Limit values for harmful substances: Ban on PFAS in food contact packaging

Not applicable: This is non-food packaging.

Articles 6 to 12

Not applicable: As at the present time (as of August 2026), there is as yet no final legal obligation to implement the sustainability and labelling requirements set out in Articles 6 to 12.

5. Fundamentals of Technical Documentation

- Documentation of test certificates, where provided by the supplier
- Documentation of manufacturers' declarations

Signature

